

Product Specification


Product Name : ONN-LED Machine Light

Model No. : ONN-M3WLX Series

Version : A1

Date : 2016-11-21

1. Image and drawing :



2. Specification :

Mode No.	Input Volt	Output Volt	CCT
<input type="checkbox"/> ONN-M3W-LXS-B1	AC/DC 24V	AC/DC 24±2V	6000-6500K
<input type="checkbox"/> ONN-M3W-LXS-B2	AC/DC 24V	AC/DC 24±2V	4000-4500K
Length of Cable	About 0.8M		
Mounting Method	Fixed by 4pcs 6mm screws		
Consumed Power	6W		
Input Current	24V / 250mA		
Flux	420 Lm		
Life span	50 000H	Protection Level	IP65
Luminous Efficiency	70Lm/W	CRI	70Ra
Driver	Non-Isolated	PF	/
Surface temperature	< 60℃	View Angle	30°

Shenzhen Onn Semi-conductor lighting Co.,Ltd

Tel: +86-755-36631969 Fax: +86-755-27871421 Web: www.onnled.net
 Add: F, Haofeng Industrial Park NO.2 Zone, Xinhe, Bao'an District, Shenzhen, China.

3. Environmental Requirements:

Working temperature:	-20~45℃
Storage temperature:	-40~70℃
Working humidity:	10~90%
Storage humidity:	10~90%

4. Package Data

Packing material	Carton Box
Model Name (MM)	Φ70*75
Net Weight / Pc (Kg)	0.45
Gross Weight / Cnt (Kg)	19
Packing Qty (PCS)	40
Inner box size (L*W*H) mm	/
Outer box size (L*W*H) mm	440*265*345

